


CIRCLIP PLIERS

- TO ASSEMBLE INTERNAL CIRCLIPS INTO BORES AND EXTERNAL CIRCLIPS ON SHAFTS,
- SOLID STYLE, DROP FORGED, NONSLIP, SOLID TIPS, GREY ATRAMENTIZED PROTECTED,
- CHROME VANADIUM STEEL, NON SLIP PVC COATED DIP HANDLE.
- GENERALLY CONFIRMING TO IS:7989-1976 (INT), 7990-1976 (EXT)


HSN CODE: 82032000



Product Code	Description	Size	Capacity	SBP	MCB	Price ₹
1081-5C	EXTERNAL STRAIGHT	140MM/5"	8-25MM	10	100	230
1082-5C	EXTERNAL BENT	140MM/5"	8-25MM	10	100	230
1083-5C	INTERNAL STRAIGHT	140MM/5"	8-25MM	10	100	230
1084-5C	INTERNAL BENT	140MM/5"	8-25MM	10	100	230
1081-7C	EXTERNAL STRAIGHT	175MM/7"	19-60MM	10	100	245
1082-7C	EXTERNAL BENT	175MM/7"	19-60MM	10	100	245
1083-7C	INTERNAL STRAIGHT	175MM/7"	19-60MM	10	100	245
1084-7C	INTERNAL BENT	175MM/7"	19-60MM	10	100	245
1081-9C	EXTERNAL STRAIGHT	225MM/9"	40-100MM	5	50	460
1082-9C	EXTERNAL BENT	225MM/9"	40-100MM	5	50	460
1083-9C	INTERNAL STRAIGHT	225MM/9"	40-100MM	5	50	460
1084-9C	INTERNAL BENT	225MM/9"	40-100MM	5	50	460
1081-13C	EXTERNAL STRAIGHT	325MM/13"	85-165MM	5	50	580
1082-13C	EXTERNAL BENT	325MM/13"	85-165MM	5	50	580
1083-13C	INTERNAL STRAIGHT	325MM/13"	85-165MM	5	50	580
1084-13C	INTERNAL BENT	325MM/13"	85-165MM	5	50	580
1081-18C	EXTERNAL STRAIGHT	450MM/18"	122-300MM	1	20	1530
1082-18C	EXTERNAL BENT	450MM/18"	122-300MM	1	20	1530
1083-18C	INTERNAL STRAIGHT	450MM/18"	122-300MM	1	20	1530
1084-18C	INTERNAL BENT	450MM/18"	122-300MM	1	20	1530
1081-24C	EXTERNAL STRAIGHT	600MM/24"	252-400MM	1	10	2390
1082-24C	EXTERNAL BENT	600MM/24"	252-400MM	1	10	2390
1083-24C	INTERNAL STRAIGHT	600MM/24"	252-400MM	1	10	2390
1084-24C	INTERNAL BENT	600MM/24"	252-400MM	1	10	2390

CIRCLIP PLIERS - Extra Long Nose

- EXTRA LONG CIRCLIP PLIER DESIGNED TO REMOVE INTERNAL/EXTERNAL CLIP FROM DEEP BORE AND TO FIT ON LONG SHAFT
- SOLID STYLE ■ DROP FORGED
- NON-SLIP PVC COATED DIP HANDLE ■ SOLID TIPS
- GREY ATRAMENTIZED PROTECTED
- CHROME VANADIUM STEEL
- GENERALLY CONFIRMING TO IS:7989-1976 (INT), 7990-1976 (EXT)
- HSN CODE : 82032000




Product Code	Description	Size	Capacity	SBP	MCB	Price ₹
1088-7CL	CIRCLIP PLIER EXTRA LONG NOSE	225MM/9"	40-100MM	10	100	455

CIRCLIP PLIERS SET 4 PCS.

- TO ASSEMBLE INTERNAL CIRCLIPS INTO BORES AND EXTERNAL CIRCLIPS ON SHAFTS,
- SOLID STYLE, DROP FORGED, NONSLIP, SOLID TIPS, GREY ATRAMENTIZED PROTECTED,
- CHROME VANADIUM STEEL, NON SLIP PVC COATED DIP HANDLE.
- DESIRED FOR DIY PEOPLE

GENERALLY CONFIRMING TO
IS:7989-1976 (INT), 7990-1976 (EXT)



HSN CODE : 82032000

Product Code	Description	Size	Capacity	SBP	MCB	Price ₹
10811-5CP	CIRCLIP PLIER SET 4 PCS.	140MM/5"	8-25 MM	1	20	1020
10811-7CP	CIRCLIP PLIER SET 4 PCS.	175MM/7"	19-60 MM	1	20	1080

FUEL LINE CONNECTOR PLIER

- PERFECT TOOL FOR RELEASING CONNECTIONS ON FUEL PIPES DURING ENGINE SERVICE OR WHEN REPLACING FUEL FILTERS
 - SPECIALLY MADE TIP TO COMPRESS
 - THE QUICK CONNECT LUGS FOR EASY REMOVAL WITHOUT DAMAGING CONNECTORS
 - MADE FROM HIGH GRADE HARDENED TOOL STEEL ■ ERGONOMIC GRIPS
- APPLICATION VW, AUDI, HYUNDAI, TOYOTA, MAHINDRA, GM, OPEL, BENZ ETC.

HSN CODE : 82032000



Product Code	Description	Size	Capacity	SBP	MCB	Price ₹
1089-FC	FUEL LINE CONNECTOR PLIER	230MM/9"	230MM	10	100	520

COMBINATION PLIER



Product Code	Description	Size	SBP	MCB	Price ₹
1071-8ECO	COMBINATION PLIERS	200MM/8"	5	80	202
1072-8PRO	COMBINATION PLIERS	200MM/8"	5	60	242

OIL FILTER WRENCH-Strap Type

- IDEAL FOR AUTOMOBILES, TRACTOR, PERFECT FOR GREASY AND OILY FILTERS
CAN BE USED FOR OIL FILTERS, GLUE JOINTS, SHOWER HEADS, FUEL FILTERS, JAR OPENERS, PVC JUNCTIONS, BOTTLES, WATER FILTERS, SINKS, TAPS, ETC,
- RUBBER GRIP PROVIDES ANI-SLIP GUARANTEE
- ALUMINUM PRESSURE DIE CASTING FOR MAX STRENGTH
- HIGH QUALITY NYLON AND RUBBER USED
- PAINT PROTECTED



HSN CODE : 82041110

Product Code	Description	Size	Capacity	SBP	MCB	Price ₹
5082-9	FILTERWRENCH	225MM/9"	Ø 30 - Ø 160	10	100	290
5082-12	STRAP WRENCH	300MM/12"	Ø 60 - Ø 300	5	40	720
5082-18	STRAP WRENCH	450MM/18"	Ø 300 - Ø 450	1	20	4200

OIL FILTER WRENCH Strap type-Drop Forged

- IDEAL FOR AUTOMOBILES, SPECIAL FILTERS DROP FORGED ONE PIECE SATIN FINISH
- STRONG WOVEN STRAP PROVIDES TIGHT GRIP
- CRV STEEL

HSN CODE : 82041110



Product Code	Description	Size	Capacity	SBP	MCB	Price ₹
5082-9S	FILTER WRENCH	225MM/9"	Ø 30-60 Ø	5	50	415
5082-11S	FILTER WRENCH	275MM/11"	Ø 60-260 Ø	5	40	865

OIL FILTER WRENCH-Swivel Type

- SWIVEL HANDLE OIL FILTER WRENCH SERIES ■ CUSHION GRIP DUAL MATERIAL
- DIMPLES IN THE BAND THAT BITE INTO FILTER FOR SAFETY & EASY LOOSENING AND TIGHTENING
- USE TO REMOVE ENGINE OIL FILTERS FROM VEHICLES ■
- 180 DEGREE SWIVEL ACTION
- HIGH COIL SPRING STEEL
- GREY ATRAMENTIZED PROTECTED

HSN CODE : 82041110




Product Code	Description	Size	Capacity	SBP	MCB	Price ₹
5081-S	SMALL / SANTRO	SMALL	50-70 MM	10	60	215
5081-M	MEDIUM / MARUTI	MEDIUM	60-80 MM	10	60	215
5081-L	LARGE / SUMO	LARGE	75-95 MM	10	60	215
5081-XL	EXTRA LARGE / TC	X-LARGE	95-115 MM	10	60	230
5081-XXL	DOUBLE X-LARGE / JCB	XX-LARGE	105-150 MM	10	40	285



T-HANDLE SOCKET

- OFFERS WIDE RANGE OF APPLICATIONS SUCH AS MAINTENANCE OF AUTOMOBILES, MACHINE, INDUSTRIAL EQUIPMENTS, GARAGES, WORKSHOPS ETC.
- SOCKET MADE FROM CHROME VANADIUM STEEL
- SCIENTIFICALLY HEAT TREATED AND WELDED FOR MORE TORQUE.
- DEEP HOLLOW SOCKETS ALLOW ACCESS TO NUTS FITTED IN TIGHT SPACES
- RUBBER GRIP FOR COMFORT
- BLACK ATRAMENTIZED PROTECTED.

HSN CODE : 82041110



Product Code	Description	Size	SBP	MCB	Price/Pc. ₹
6801	T SPANNER WITH SLEEVE 10MM ROD DIA	6MM	10	100	150
6802	T SPANNER WITH SLEEVE 10MM ROD DIA	7MM	10	100	155
6803	T SPANNER WITH SLEEVE 10MM ROD DIA	8MM	10	100	155
6804	T SPANNER WITH SLEEVE 10MM ROD DIA	9MM	10	100	160
6805	T SPANNER WITH SLEEVE 10MM ROD DIA	10MM	10	100	160
6806	T SPANNER WITH SLEEVE 10MM ROD DIA	11MM	10	100	160
6807	T SPANNER WITH SLEEVE 10MM ROD DIA	12MM	10	100	165
6808	T SPANNER WITH SLEEVE 10MM ROD DIA	13MM	10	100	165
6809	T SPANNER WITH SLEEVE 10MM ROD DIA	14MM	10	100	170
6810	T SPANNER WITH SLEEVE 10MM ROD DIA	15MM	10	100	170
6811	T SPANNER WITH SLEEVE 10MM ROD DIA	16MM	10	100	195
6812	T SPANNER WITH SLEEVE 10MM ROD DIA	17MM	10	100	200
6813	T SPANNER WITH SLEEVE 10MM ROD DIA	18MM	10	100	210
6814	T SPANNER WITH SLEEVE 10MM ROD DIA	19MM	10	100	215

SLEDGE HAMMER-With Ashwood Handle

- IDEAL FOR DEMOLITION OF CONCRETE, TILE AND DRYWELL.
- THE HEAD IS MADE FROM EN9 STEEL ■ DULY HARDENED & TEMPERED STRIKING SURFACES TO ACHIEVE HRC 55-60.
- AMERICAN ASHWOOD ABSORBS VIBRATIONS REMAINING LIGHT YET
- DURABLE DURING ACTION WHICH REDUCES STRIKES ON HAND, RING METAL WEDGING DONE SO TO AVOID LOOSE FITMENT OF HANDLE.
- POWDER COATED HEAD, DROP FORGED.

HSN CODE : 82052000



Product Code	Description	Size	Handle Length	SBP	MCB	Price ₹
8881-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	1LB	250MM	2	48	230
8882-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	1.5LB	262MM	2	32	260
8883-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	2LB	262MM	2	24	290
8884-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	3LB	305MM	2	16	460
8885-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	4LB	305MM	2	12	550
8886-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	6LB	750MM	2	8	1330
8887-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	8LB	750MM	2	6	1600
8888-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	10LB	750MM	2	6	1820
8889-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	12LB	750MM	2	4	2260
8890-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	14LB	750MM	2	4	2500
8891-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	16LB	750MM	2	2	2920
8892-AW	SLEDGE HAMMER WITH AMERICAN ASHWOOD	20LB	750MM	2	2	3410
8881-HO	SLEDGE HAMMER HEAD ONLY	1LB	-	-	-	Rate On Request
8882-HO	SLEDGE HAMMER HEAD ONLY	1.5LB	-	-	-	Rate On Request
8883-HO	SLEDGE HAMMER HEAD ONLY	2LB	-	-	-	Rate On Request
8884-HO	SLEDGE HAMMER HEAD ONLY	3LB	-	-	-	Rate On Request
8885-HO	SLEDGE HAMMER HEAD ONLY	4LB	-	-	-	Rate On Request
8886-HO	SLEDGE HAMMER HEAD ONLY	6LB	-	-	-	Rate On Request
8887-HO	SLEDGE HAMMER HEAD ONLY	8LB	-	-	-	Rate On Request
8888-HO	SLEDGE HAMMER HEAD ONLY	10LB	-	-	-	Rate On Request
8890-HO	SLEDGE HAMMER HEAD ONLY	12LB	-	-	-	Rate On Request
8891-HO	SLEDGE HAMMER HEAD ONLY	14LB	-	-	-	Rate On Request
8892-HO	SLEDGE HAMMER HEAD ONLY	16LB	-	-	-	Rate On Request
8893-HO	SLEDGE HAMMER HEAD ONLY	20LB	-	-	-	Rate On Request

SLEDGE HAMMER-With Fiberglass Handle

- IDEAL FOR DEMOLITION OF CONCRETE, TILE AND DRYWELL.
- THE HEAD IS MADE FROM EN9 STEEL ■ DULY HARDENED & TEMPERED STRIKING SURFACES TO ACHIEVE HRC 55-60.
- AMERICAN ASHWOOD ABSORBS VIBRATIONS REMAINING LIGHT YET
- DURABLE DURING ACTION WHICH REDUCES STRIKES ON HAND, 4G FIBERGLASS HANDLE DONE SO TO AVOID LOOSE FITMENT.
- POWDER COATED HEAD, DROP FORGED.

HSN CODE : 82052000



Product Code	Description	Size	Handle Length	SBP	MCB	Price ₹
8881-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	1LB	250MM	2	48	270
8882-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	1.5LB	250MM	2	32	300
8883-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	2LB	305MM	2	24	350
8884-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	3LB	375MM	2	16	580
8885-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	4LB	375MM	2	12	680
8886-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	6LB	750MM	2	8	1360
8887-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	8LB	750MM	2	6	1700
8888-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	10LB	750MM	2	6	1920
8889-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	12LB	825MM	2	4	2540
8890-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	14LB	825MM	2	4	2700
8891-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	16LB	825MM	2	2	3320
8892-FH	SLEDGE HAMMER WITH FIBREGLASS HANDLE	20LB	825MM	2	2	3810

SLEDGE HAMMER SEASONED WOOD

- IDEAL FOR DEMOLITION OF CONCRETE, TILE AND DRYWELL.
- THE HEAD IS MADE FROM SELECTED STEEL
- HANDLE MADE FROM SEASONED WOOD
- POWDER COATED HEAD, DROP FORGED.

HSN CODE : 82052000



Product Code	Description	Size	Handle Length	SBP	MCB	Price ₹
1701-SW	SLEDGE HAMMER WITH SEASONED WOOD (ECO)	1LB	250MM	2	96	180
1702-SW	SLEDGE HAMMER WITH SEASONED WOOD (ECO)	1.5LB	250MM	2	72	200
1703-SW	SLEDGE HAMMER WITH SEASONED WOOD (ECO)	2LB	262MM	2	48	220
1704-SW	SLEDGE HAMMER WITH SEASONED WOOD (ECO)	3LB	300MM	2	36	350
1705-SW	SLEDGE HAMMER WITH SEASONED WOOD (ECO)	4LB	300MM	2	24	430

CLUTCH NUT SOCKET

- CLUTCH NUT SOCKET SPANNER/ CASTLE SOCKET IS DESIGNED FOR TWO WHEELER CLUTCH HUB REMOVAL AND INSTALLATION, IT TIGHTENS AND LOOSENS SLOTTED CASTELLATED LOCK NUT THAT SECURES THE CLUTCH HUB/CENTER BASKET ONTO TRANSMISSION SHAFT, STANDARD HEX SOCKETS CANNOT GRIP THIS, IT IS ALSO USED TO SECURE THE CENTRIFUGAL OIL FILTER ROTOR ON THE CRANKSHAFT. CNC MADE, CASTLE/4PIN DESIGN, 1/2INCH. DRIVE, BLACK PHOSPHATE FINISH

HSN82060010



Product Code	Description	Suitable For	SBP	MCB	Price ₹
1110-HH	CLUTCH NUT SOCKET	HERO HONDA	10	50	170
1111-SS	CLUTCH NUT SOCKET	SUPER SPLENDOR	10	50	180
1112-PO	CLUTCH NUT SOCKET	PULSOR OLD	10	50	170
1113-PN	CLUTCH NUT SOCKET	PULSOR NEW	10	50	170
1114-S	CLUTCH NUT SOCKET	STAR CITY	10	50	170
1115-SP	CLUTCH NUT SOCKET	STAR CITY+PULSOR	10	50	170
1116-HS	CLUTCH NUT SOCKET	HONDA SHINE	10	50	170
1117-U	CLUTCH NUT SOCKET	UNIVERSAL	10	50	170
1118-D	CLUTCH NUT SOCKET	DISCOVER	10	50	230

CLUTCH HOLDER

- CLUTCH HOLDER/SPANNER WRENCH WITH PIN FACE IS USED TO TIGHTEN OR LOOSEN ROUND NUTS OR COLLARS WITH RESPECTIVE HOLES ON THEIR FACE
- IT MATCHES WITH HOLES IN NUT ALLOWING TO APPLY TORQUE WITHOUT DAMAGING IT.

HSN82055990




Product Code	Description	Suitable For	SBP	MCB	Price ₹
1119-HH	CLUTCH HOLDER	HERO HONDA 4PIN	5	50	225
1120-P4	CLUTCH HOLDER	PULSAR 4PIN	5	50	225
1121-P5	CLUTCH HOLDER	PULSAR 5PIN	5	50	245
1122-P6	CLUTCH HOLDER	PULSAR 6PIN	5	50	265
1123-SS3	CLUTCH HOLDER	SUPER SPENDOR 3PIN	5	50	265
1124-SS6	CLUTCH HOLDER	SUPER SPENDOR 6PIN	5	50	265

KANCHI HOLDER

- KANCHI/ Y HOLDER IS USED BY MECHANICS WHENEVER A ROUND NUT HAS TWO HOLES INSTEAD OF HEX FLATS
- IT ALLOWS REMOVAL OR TIGHTENING WITHOUT DAMAGING THE NUT
- MOSTLY USED IN MOTORCYCLE HEAD LOCK UNITS
- REAR SHOCK PRELOAD ADJUSTMENT

HSN 82055990



Product Code	Description	Suitable For	SBP	MCB	Price ₹
1125-HH	KANCHI HOLDER	HERO HONDA	5	60	155

MAGNET PULLER

- MAGNET PULLER/ FLYWHEEL PULLER IDEAL TO REMOVE THE MAGNET ROTOR FROM THE CRANKSHAFT OF MOTORCYCLES, SCOOTERS, MOPEDS, GENERATORS BY PULLING THE FLYWHEEL OFF. ITS TAPER WITHOUT DAMAGING IT. A MUST ADD ON TO YOUR GARAGE RANGE . CNC MADE, THREADED PROFESSIONALLY, ANTI RUST PHOSPHATE COATING.

HSN82060010



Product Code	Description	Suitable For	SBP	MCB	Price ₹
1091-MPHH	MAGNET PULLER	HERO HONDA	2	50	300
1092-MPSC	MAGNET PULLER	STAR CITY	2	50	300
1093-MPP	MAGNET PULLER	PULSOR	2	50	300
1094-MPV	MAGNET PULLER	VICTOR	2	50	300
1095-MPSS	MAGNET PULLER	SUPERSPLENDOR	2	50	300
1096-MPCB	MAGNET PULLER	CBZ	2	50	300
1097-MPFZ	MAGNET PULLER	FZ	2	50	300
1098-MPHS	MAGNET PULLER	HONDA SHINE	2	50	300
1099-MPU	MAGNET PULLER	UNICON	2	50	300
1100-MPCD	MAGNET PULLER	CD DELUXE	2	50	300
1101-MPD	MAGNET PULLER	DISCOVER	2	50	300
1102-MPAC	MAGNET PULLER	ACTIVA	2	50	300
1103-MPAP	MAGNET PULLER	APACHE	2	50	300
1104-MPB	MAGNET PULLER	BULLET	2	50	300
1105-MPT	MAGNET PULLER	TVS	2	50	300
1106-MPK	MAGNET PULLER	KAVASAKI	2	50	300
1107-MP2HS	MAGNET PULLER	H.HONDA +S.SPLENDOR	2	50	400
1108-MP2SV	MAGNET PULLER	STARCITY + VICTOR	2	50	400
1109-MP8i	MAGNET PULLER	8 IN 1	2	50	500

VALVE PULLER

- VALVE PULLER HELPS IN COMPRESSING THE VALVE SPRING ON ENGINES CYLINDER HEAD
- ALLOWS REMOVAL AND INSTALLATION OF VALVE KEEPERS COLLETS/LOCKS.

HSN 82055990



Product Code	Description	Suitable For	SBP	MCB	Price ₹
1126-VP	VALVE PULLER	UNIVERSAL	5	30	400

MAGNET HOLDER

- IT IS PRIMARILY USED IN CAR REPAIR SHOPS TO REMOVE OR TIGHTEN CYLINDRICAL PARTS.

HSN 82055990



Product Code	Description	Suitable For	SBP	MCB	Price ₹
1127-MH	MAGNET HOLDER	UNIVERSAL	1	40	525

OIL CAN

- OIL CANS SUITABLE FOR WORKSHOPS, GARAGES, FACTORIES, INDUSTRIAL MAINTENANCE,
- HEAVY DUTY STEEL CONSTRUCTION, POWDER COATED FINISH FOR CORROSION RESISTANCE,
- SMOOTH THUMB LEVER OPERATION WITH SPOUTS.

GST 5%

HSN 84133020



Product Code	Description	Capacity	SBP	MCB	Price ₹
PK-OC-101	OIL CAN	1/4 PINT	10	100	106/-
PK-OC-102	OIL CAN	1/2 PINT	10	100	116/-
PK-OC-103	OIL CAN	3/4 PINT	6	60	136/-
PK-OC-104	OIL CAN	1 PINT	6	60	156/-

GREASE GUN-LEVER TYPE

- GREASE GUN ENGINEERED FOR EFFICIENT LUBRICATION OF BEARINGS, JOINTS, SHAFTS AND OTHER MOVING COMPONENTS, BUILT WITH ROBUST STEEL BODY, BEST IN AUTOMOTIVE, AGRICULTURAL AND INDUSTRIAL APPLICATIONS.
- ERGONOMIC HANDLE FOR COMFORTABLE OPERATION

GST 18%

HSN 82055990



Product Code	Description	Cap.	Cap.	SBP	MCB	Price ₹
PK-GG-201	GREASE GUN LEVER TYPE	8 Oz	200CC	1	25	380/-
PK-GG-202	GREASE GUN LEVER TYPE	10 Oz	300CC	1	25	430/-
PK-GG-203	GREASE GUN LEVER TYPE 1/2 PISTON	15 Oz	450CC	1	15	580/-
PK-GG-204	GREASE GUN LEVER TYPE 5/8 PISTON	15 Oz	550CC	1	15	640/-

FOOTPUMP

- FOOTPUMP ARE DESIGNED FOR QUICK INFLATION OF CARS, MOTORCYCLES, BICYCLES, LIGHT VEHICLE TYRES.
 - THE STURDY FRAME ENSURES DURABILITY, WHILE THE ANTI SLIP PEDAL PROVIDES COMFORTABLE OPERATION. SUITABLE FOR GARAGES AND HOME USE
- GST 18% HSN 84142010



Product Code	Description	Capacity	SBP	MCB	Price ₹
PK-FP-301	FOOTPUMP	150 PSI	1	10	1070/-

BUCKET GREASE PUMP

- PEEKAY BUCKET GREASE PUMPS ARE DESIGNED FOR HIGH VOLUME LUBRICATION IN WORKSHOPS, INDUSTRIAL PLANTS, CONSTRUCTION EQUIPMENT AND AGRICULTURAL MACHINERY, RUGGED STEEL CONSTRUCTION, HIGH PRESSURE GREASE OUTPUT, AVAILABLE WITH AND WITHOUT WHEELS.
- GST 18% HSN 84133020



Product Code	Description	Cap.	SBP	MCB	Price ₹
PK-BGP-401	BUCKET GREASE PUMP WITHOUT TROLLEY	3 Kgs.	1	1	3600/-
PK-BGP-402	BUCKET GREASE PUMP WITHOUT TROLLEY	5 Kgs.	1	1	3800/-
PK-BGP-403	BUCKET GREASE PUMP WITH TROLLEY	5 Kgs.	1	1	4300/-
PK-BGP-404	BUCKET GREASE PUMP WITH TROLLEY	10 Kgs.	1	1	4760/-
PK-BGP-405	BUCKET GREASE PUMP WITH TROLLEY	15 Kgs.	1	1	5520/-
PK-BGP-406	BUCKET GREASE PUMP WITH TROLLEY	20 Kgs.	1	1	6160/-